

SUBJECT INDEX

A

- Absorption of corticosteroids in suppression of pituitary-adrenal function, 347
- Acetate, *in vivo* incorporation into lipids of dog skin, 356
- Acetylcholine, epidermal glycogen after, 391
- Acne, basophil leukocytes in, 22
- Actinomycin D administered locally to multiple superficial epitheliomas, 489
- Adenosine triphosphate formation measured relative to oxidation of succinate-1-C¹⁴ to C¹⁴O₂.
- Adrenal-pituitary function suppressed by percutaneously absorbed corticosteroids, 347
- Adsorption, percutaneous, 334
- Age of skin, relation of Na²²Cl clearance to, 315
- Alanine, *in vivo* incorporation into lipids of dog skin, 356
- Albinism, oculo-cutaneous, melanocytes in piebaldism and, 28
- Aldolase in psoriasis, 78
- Allergology, Congress of, 304
- Alopecia mucinosa, metachromatic granules in dendritic cells in, 129
- Amino acids, *in vivo* incorporation into lipids of dog skin, 356
- Amino peptidase in healing-process of split skin grafts, 38
- Ammodiaquine HCl, effect on histology of beta-irradiated rat skin, 1
- Amphibians, pigmented leukocytes in blood of, 104
- Amyloid of lichen amyloidosis, 204
- Anaphylaxis, passive cutaneous, sulphan blue in assessment of, 173
- Ancylostoma caninum*, effect of 5-hydroxythiabendazole on, 132
- Androgens
 generation from 17-hydroxyprogesterone, promoted by sebotropic factor, 364
 locally administered, effect on terminal hair growth, 419
- Antechinus stuartii*, atypical giant cells in, due to demodicid mites, 504
- Anthelmintic effect of thiabendazole and 5-hydroxythiabendazole, 132
- Antibacterial agent
 added to mycology media, 549
 see also Antibiotics, Antimicrobial agents
- Antibiotics
 in soap, for prophylaxis and control of erythrasma, 399
 see also Antibacterial agents, Antimicrobial agents

- Antigen, Kveim, effect on leukocytes of sarcoid patients, 65
- Antimalarials, effect on histology of β -irradiated rat skin, 1
- Antimicrobial agents
 from detergents, deposition on skin of, 86
 effect of skin surface lipids on, 89
 see also Antibacterial agents, Antibiotics
- Anti-tumor agents administered locally to multiple superficial epitheliomas, 489
- Arginase, activity of, in epidermis, 24
- Autografts
 in psoriasis, 46
 see also Grafts

B

- Bacteria
 new method for quantitative investigation of, 498
 on skin surface, studied with electron microscope and Ryter-Kellenberger fixation method, 93
- Bantu males, normal, pigmented leukocytes in blood of, 104
- "Barrier" function of Stratum corneum, 249, 334
- Basal cell(s)
 carcinoma, *see* Carcinoma
 epithelioma, *see* Epithelioma
 glycogen in, after inflammatory stimuli, 391
- Basal layer of ultrastructure, changes induced in, by ultraviolet light, 52
- Basophil leukocytes, in acne, 22
- Basophil response to challenge, used to detect penicillin hypersensitivity, 269
- Beerman, Herman
 Lecture, summarized, 248
 Lecturer, introduced, 247
- Biochemistry of skin, method for studying, 99
- Blastomycosis, experimental cutaneous, of hamsters, 409
- Blastospores of *C. albicans*, ultrastructure after permanganate fixation, 227
- Blood flow, tissue clearance as measure of, 396
- Bradykinin, epidermal glycogen after, 391
- Bromosalicylanilides in soap for prophylaxis and control of erythrasma, 399

C

- Callus, urocanic acid in, 319
- Candida*
 albicans
 effect of physiologic saline on, 368
 ultrastructure of blastospores of, 227
 spp.

- addition of gentamicin to media for isolation of, 549
- Carbohydrate studies, cutaneous, 177
- Carcinoma(s)
- basal and squamous cell, local administration of Trenimon to, 152
 - multiple superficial basal cell, local administration of anti-tumor agents to, 489
- Casts, silicon rubber, of microcirculation of skin, 324
- Chlorocarbonilides in soap for prophylaxis and control of erythrasma, 399
- Chloroquine, affinity of melanin for, 482
- Chlorpromazine binding *in vivo*, 475
- Circulation
- micro-, *see* Microcirculation
 - nutritional, tissue clearance used in studying, 396
- Clearance, tissue, in studying nutritional circulation, 396
- Cloudman S-91 melanoma, site of melanin synthesis in, 458
- Coal tar solution, effect on amino acid incorporation into protein, 529
- Compressed skin, viscous flow in, 119
- erratum, 552
- Contact sensitizers, immunologic unresponsiveness after administration of, 378
- Copper salts, effect on experimental prophyria, 510
- Corticosteroids, percutaneously absorbed, in suppression of pituitary-adrenal function, 347
- Crystals, liquid, thermography with, 329
- Cytosine arabinoside administered locally to multiple superficial epitheliomas, 489
- D
- Dapsone, effect on hyaluronidase activity in dermatitis herpetiformis, 73
- Demethylchlortetracycline, cutaneous pharmacology of, 263
- Demodex* spp., atypical giant cells due to, 504
- Dendritic cells, metachromatic granules in, in alopecia mucinosa, 129
- Dense body, irregular, histochemistry and biochemistry of, 432
- Deoxyribonucleic acid, fluorometric ultramicroanalysis of, 99
- 2-Deoxy-triamcinolone acetone in suppression of pituitary-adrenal function, 347
- Dermatitis
- atopic, behavior of melanocytes in, 465
 - herpetiformis, effects of dermatitis herpetiformis sera and drugs on hyaluronidase activity in, 73
 - seborrheic, behavior of melanocytes in, 465
- Dermatologists, barriers faced by, 249
- Dermatophytes
- addition of gentamicin to media for isolation of, 549
 - immunologically-active substances of, 275, 285
- Dermatoses, behavior of melanocytes in, 465
- Detergent as base of fluid for sampling microflora, 498
- Detergents, antimicrobial agents in, deposition on skin of, 86
- Dichlorisone acetate in suppression of pituitary-adrenal function, 347
- Diffusion mechanism through stratum corneum, 334
- Dimethylbenzanthracene, pigment changes induced by, 160
- Dimethylurethimine administered locally to multiple superficial epitheliomas, 489
- Diphosphopyridine-nucleotide-diaphorase in healing-process of split skin grafts, 38
- Dog skin, lipids of, 356
- DOPA, number of epidermal melanocytes reactive to, after ultraviolet irradiation, 295
- Dopa-C¹⁴, incorporation studies of, 305
- DPN in metabolism of hydrocortisone-4-¹⁴C, 384
- DPNH in metabolism of hydrocortisone-4-¹⁴C, 384
- Dressings, perforated-film, wound healing under, 299
- E
- Eccrine sweat duct, intraepidermal, in human embryo, 139
- Eczema, infantile, lysosomes in, 448
- Elastase and dermal elastoses, 404
- Elastic fibers in superficial basal cell epithelioma, 70
- Elastin in globes in human skin, 81
- Elastoses, elastase and, 404
- Embryo, ultrastructure of, 139
- Enzyme-histochemical studies on the healing process of split skin grafts, 38
- Enzymes of oxidative shunt and glycolysis, level of, in psoriasis, 78
- Epinephrine, temperature pattern over site of injection of, 329
- Epitheliomas
- local administration of Trenimon to, 152
 - multiple superficial basal cell
 - elastic fibers in, 70
 - local administration of anti-tumor agents to, 489
- Erythema
- induced by ultraviolet light
 - effect of field size on minimal dose for, 516
 - temperature patterns over, 329
 - multiforme, relationship to histoplasmosis, 135
 - nodosum, behavior of melanocytes in, 465
- Erythrasma of toe webs, prophylaxis and control of, 399
- Erythroderma, congenital ichthyosiform, behavior of melanocytes in, 465

F

- Fetus, fine structure of cells in epidermal surface layer of, 179
- Fibrous papule of nose, clinicopathological study of, 194
- Field size, effect on ultraviolet minimal erythema dose, 516
- Fixation method, Ryter-Kellenberger, application to electron microscopic study of bacteria on skin, 93
- Flora, bacterial, new method for quantitative investigation of, 498
- Fluocinolone acetonide in suppression of pituitary-adrenal function, 347
- Fluorometric ultramicroanalysis of DNA in skin, 99
- 5-Fluorouracil administered locally to multiple superficial epitheliomas, 489
- Flurandrenolone in suppression of pituitary-adrenal function, 347
- Foreign body, giant cells found in response to, 504
- Fungi, pathogenic, effect of physiologic saline on, 368

G

- Gentamicin, use of, in mycology media, 549
- Giant cells, atypical, in *Antechinus stuartii* due to demodicid mites, 504
- Globes, elastic, in human skin, 81
- Glucose content of back skin, constancy of, 177
- Glucose-6-phosphate dehydrogenase in psoriasis, 78
- α -D-glucosidase effect on irregular dense body after ultraviolet irradiation, 432
- Glucuronidase, beta-, in preputial glands, sebotropic activity measured by, 362
- Glycogen, epidermal, after inflammatory stimuli, 391
- Glycolysis, level of enzymes of, in psoriasis, 78
- Grafts
- split skin, enzyme-histochemical studies on healing-process of, 38
 - see also Autografts
- Granules, metachromatic, in dendritic cells in alopecia mucinosa, 129
- Growth, cellular regulation of, 248

H

- Hair follicle response to sustained local androgenic stimulation, 419
- Healing-process of split skin grafts, enzyme-histochemical studies on, 38
- Hexadecane, hyperkeratinization induced by, 24
- Histamine
- epidermal glycogen after, 391
 - temperature pattern over site of injection of, 329

Histidine and keratinization, 422

- Histoplasma capsulatum*, comparison of experimental infections with *B. dermatitidis* and, 409
- Histoplasmosis, relationship to erythema multiforme, 135
- Hormones, assay of effects of, on sebaceous type structures, 362
- Horny layer, see Stratum corneum
- Hyaluronidase activity in dermatitis herpetiformis effects of dermatitis herpetiformis sera and drugs on, 73
- Hydrocortisone-4-¹⁴C
- requirement for pyridine nucleotides in metabolism of, 384
 - sites of metabolism of, 384
- 17-Hydroxyprogesterone, generation of androgens from, promoted by sebotropic factor, 364
- 5-Hydroxythiabendazole and thiabendazole, comparison of, for anthelmintic effect, 132
- Hyperkeratinization induced by hexadecane, 24

I

- Ichthyosiform erythroderma, congenital, behavior of melanocytes in, 465
- Immunity mechanism in disappearance of warts, 15
- Infantile eczema, lysosomes in, 448
- Inflammation
- behavior of melanocytes in, 465
 - epidermal glycogen after, 391
- Injection sites of histamine and epinephrine, temperature pattern over, 329
- 5-Iodo-2-deoxyuridine administered locally to multiple superficial epitheliomas, 489
- Irradiation, see Radiation
- Irritants, sulphan blue in assessment of, 173
- Isoleucine, *in vivo* incorporation into lipids of dog skin, 356

K

- Keratinization
- histidine and, 422
 - hyper-, induced by hexadecane, 24
 - in infantile eczematous and healthy skin, 448
- Keratohyaline, epidermal irregular dense body as a precursor of, 432
- Kveim antigen, effect on leukocytes of sarcoid patients, 65

L

- Lactic dehydrogenase activity in oral lichen planus lesions, 220
- Langerhans cells
- melanin in, 401
 - relation to melanocytes, 28

- Laser radiation, effect on mammalian epidermal melanocytes, 110
- Lecture, Herman Beerman, summarized, 248
- Lecturer, Herman Beerman, introduced, 247
- Leukocytes
 basophil, in acne, 22
 pigmented, in blood of amphibians, reptiles and normal man, 104
 of sarcoid patients, effect of Kveim antigen on, 65
- Lichen
 amyloidosis, histochemical and electron microscopic studies of, 204
 planus
 behavior of melanocytes in, 465
 oral, lactic dehydrogenase activity in, 220
 sclerosus et atrophicus, behavior of melanocytes in, 465
- Lipids
 of dog skin, 356
 skin surface, effect on antimicrobial agents, 89
- Liquid crystals, cutaneous thermography with, 329
- Lithium permanganate fixation in electron microscopy, 227
- Local therapeutic agents, effect on epidermal macromolecular metabolism, 529
- Lupus erythematosus, discoid, behavior of melanocytes in, 465
- Lysosomes in infantile eczema, 448
- M**
- Macro-powdering of skin, 303
- Mast cells, histogenetic relationship with melanocytes, 129
- Meeting, annual, Society for Investigative Dermatology,
 announced for 1966, 552
 reported for 1965, 233
- Melanin
 affinity for chloroquine, 482
 granule, dispersion in epidermal melanocytes, 547
 interaction of chlorpromazine with, 475
 in Langerhans cells, 401
 pigmentation, in leukocytes of amphibians, reptiles and normal man, 104
 site of formation of, 305
 synthesis, localization of, 458
 see also Melanin, Pigment
- Melanocytes
 behavior in inflammation, 465
 effect of single dose of ultraviolet radiation on, 520
 electron microscopy of, in human piebaldism, 28
 epidermal, effect of laser radiation on, 110
 histogenetic relationship with mast cells, 129
 localization of tyrosinase in, 305
 melanin granule dispersion in, 547
 populations in ultraviolet-irradiated human skin, 295
 see also Melanin, Pigment
- Melanogenesis, rate of, 520
- Melanoma, Cloudman S-91, site of melanin synthesis in, 458
- 5-Mercaptouracil administered locally to multiple superficial epitheliomas, 489
- Mercury, ammoniated, and sulfur ointment, effect on amino acid incorporation into protein, 529
- Metabolism, epidermal macromolecular
 effects of local therapeutic agents upon, 529
 effects of podophyllin on, 539
- Metachromasia in alopecia mucinosa, 129
- Methotrexate administered locally to multiple superficial epitheliomas, 489
- 8-Methoxysporalen, effect on histology of beta-irradiated rat skin, 1
- Methyl-Glyoxal-bisguanyldrazone HCl administered locally to multiple superficial epitheliomas, 489
- Microanalysis, *see* Fluorometric ultramicroanalysis
- Microcirculation, method of preparing three-dimensional casts of, 324
- Microflora, new method for quantitative investigation of, 498
- Microvasculature, *see* Microcirculation
- Mites, demodicid, atypical giant cells in *Antechinus stuartii* due to, 504
- Mitochondria, role in melanogenesis, 458
- Monochromator, high intensity ultraviolet light, 190
- Mouth, lactic dehydrogenase activity in lichen planus in, 220
- Mycology media, use of gentamicin in, 549
- N**
- Na²²Cl, skin clearance of and relation to skin age, 315
- Neodymium glass laser, effect on melanocyte activity in mammalian skin, 110
- Nevus elasticus, elastase and, 404
- Nitrogen mustard, administered locally to multiple superficial epitheliomas, 489
- Nitrosodimethylaniline, *para*-, immunologic unresponsiveness after topical and enteric administration of, 378
- Nose, fibrous papule of, clinicopathological study of, 194
- Nucleic acid and protein synthesis, effects of local therapeutic agents on, 529
- Nucleolus, enlargement of, following ultraviolet irradiation, 114
- Nutritional circulation, tissue clearance used in studying, 396

O

- Oliidiomycin, epidermal glycogen after, 391
- Oxidative phosphorylation in epidermis, 168
- Oxidative shunt, level of enzymes of, in psoriasis, 78

P

- Papain, effect in Shope papilloma, 126
- Papilloma, Shope, effect of papain in, 126
- Papule, fibrous, of nose, clinicopathological study, 194
- Penetration, routes of, in percutaneous adsorption, 334
- Penicillin hypersensitivity, detection of, 269
- Penicilloyl polylysine in detection of penicillin hypersensitivity, 269
- Permanganate fixation, ultrastructure of blastospores of *C. albicans* after, 227
- Permeability constant for water, 334
- Perspiration, insensible, pattern of, 6
- Phenothiazine drugs, interaction with melanin, 475
- 6-Phosphogluconate dehydrogenase in psoriasis, 78
- Phosphohexose isomerase in psoriasis, 78
- Phosphorylation, oxidative, in epidermis, 168
- Photosensitivity of porphyric rats to ultraviolet radiation, after copper salts, 510
- Physiologic saline, antifungal activity of, in serum, 368
- Piebaldism, melanocytes in, 28
- Pigment
 - cell, site of melanin synthesis in, 458
 - changes, induced by dimethylbenzanthracene, 160
 - see also* Melanin, Melanocyte
- Pigmentation
 - effect of chlorpromazine on, 475
 - melanin, in leukocytes of amphibians, reptiles and normal man, 104
 - see also* Melanin, Melanocyte, Pigment
- Pituitary-adrenal function suppressed by percutaneously absorbed corticosteroids, 347
- Pituitary sebotropic activity
 - new assay method for, 362
 - purification of, 364
- Pityriasis rubra pilaris behavior of melanocytes in, 465
- Podophyllin, effects on protein and nucleic acid metabolism, 539
- Porphyria
 - cutanea tarda, behavior of melanocytes in, 465
 - experimental, effect of copper salts on, 510
- Prednisolone in suppression of pituitary-adrenal function, 347
- Preputial glands, beta-glucuronidase in, used to assay sebotropic activity, 362

- Progesterone, assay of effects of on sebaceous type structures, 362
- Protein and nucleic acid synthesis, effects of local therapeutic agents on, 529
- Pseudoxanthoma elasticum, elastase and, 404
- Psoriasis
 - autografts in, 46
 - behavior of melanocytes in, 465
 - histidase activity in, 422
 - level of antibiotics in skin in, 263
 - level of enzymes of oxidative shunt and glycolysis in, 78
 - Research Award, 134
 - turnover time in, 257
- Pulverization of skin, procedure for, 303
- Pyridine nucleotides required in metabolism of hydrocortisone-4-¹⁴C, 384
- Pyrimethamine, effect of, on histology of beta-irradiated rat skin, 1
- Pyruvate, *in vivo* incorporation into lipids of dog skin, 356

R

- Radiation
 - beta, protection against, with 8-methoxysporalen and antimalarials, 1
 - laser, effect on mammalian epidermal melanocyte, 110
 - ultraviolet
 - effect on melanocyte population of skin, 295
 - effect of single dose on epidermal melanocytes, 520
 - irregular dense body that increases in number after, histochemistry and biochemistry of, 432
 - nucleolar enlargement following, 114
 - photosensitivity of porphyric rats to, after copper salts, 510
 - temperature pattern of erythema induced by, 329
 - ultrastructural changes induced by, 52
- Reptiles, pigmented leukocytes in blood of, 104
- Ryder-Kellenberger fixation method applied to electron microscopic study of bacteria on skin, 93

S

- Salicylic acid, effect on specific activities of epidermal proteins, 529
- Saline, physiologic, antifungal activity in serum, 368
- Samples, preparation of, 303
- Sarcoid patients, effect of Kveim antigen on leukocytes of, 65
- Sebotropic activity, pituitary
 - new assay method for, 362
 - purification of, 364

- Sebum, effect on antimicrobial agents, 89
- Sensitizers, contact, immunologic unresponsiveness after administration of, 378
- Shampoos, antimicrobial agents in, deposition on skin, 86
- Shope papilloma, effect of papain in, 126
- Silicon rubber casts of microcirculation of skin, 324
- Silver impregnation stain for *Treponema pallidum*, 68
- Society of Investigative Dermatology
Announcement of 1966 meeting, 552
Report of 1965 meeting, 233
- Sodium-22, skin clearance of and relation to skin age, 315
- Spinous layer of ultrastructure, changes induced in, by ultraviolet light, 52
- Squamous cell carcinoma, *see* Carcinoma
- Stratum corneum
as a barrier, 249
proof of urocanic acid in, 319
as site of "barrier" function, 334
stripping, effect on amino acid incorporation into protein, 529
- Striae distensae, elastase and, 404
- Succinic dehydrogenase in healing-process of split skin grafts, 38
- Sulfur and ammoniated mercury ointment, effect on amino acid incorporation into protein, 529
- Sulphan blue in assessment of primary skin irritants, 173
- Sweat duct, eccrine, in human embryo, 139
- Szent-Györgyi, Albert (Herman Beerman Lecturer), introduced, 247
- T**
- Telfa® dressings, wound healing under, 299
- Temperature of skin, method for demonstration and quantitation of, 329
- Testosterone, locally administered, effect on terminal hair growth, 419
- Tetracyclines, cutaneous pharmacology of, 263
- Thermography with liquid crystals, 329
- Thiabendazole and 5-hydroxythiabendazole, comparison of, for anthelmintic effect, 132
- Tissue clearance in studying nutritional circulation, 396
- Toe webs, erythrasma of, prophylaxis and control of, 399
- TPN in metabolism of hydrocortisone-4-¹⁴C, 384
- TPNH
in metabolism of hydrocortisone-4-¹⁴C, 384
requirement for, in psoriasis, 78
- Transit times of normal and psoriatic epidermis, 257
- Trenimon, local administration of, to epitheliomas, 152
- Treponema pallidum*, silver impregnation stain for, 68
- Triamcinolone actonide in suppression of pituitary-adrenal function, 347
- Trichloroacetic acid, interference of, on characteristics of urocanic acid, 319
- Trichophytins
active principles of, 285
fractions of *Trichophyton mentagrophytes* var. *asteroides* having, 275
- Trichophyton mentagrophytes* var. *asteroides*
active principals of, 285
trichophytin activity in, 275
- 2,3,5-Tri-ethylene-imino-1,4-benzoquinone, local administration of, to epitheliomas, 152
- Tumors
benign, giant cells associated with *Demodex* spp. in, 504
of skin, 489
- Turnover times of normal and psoriatic epidermis, 257
- Tyrosinase activity
after single dose of ultraviolet radiation, 520
intracellular localization in melanocyte, 305
- U**
- Ultramicroanalysis, fluorometric, of DNA in skin, 99
- Ultrastructure
of blastospores of *C. albicans* after permanent fixation, 227
changes in, induced by ultraviolet light, 52
of embryo skin, 139
nucleolar enlargement in, following ultraviolet irradiation, 114
- Ultraviolet light monochromator, high intensity, 190
- Ultraviolet minimal erythema dose, effect of field size on, 516
- Ultraviolet radiation, *see* Radiation, ultraviolet
- Urocanic acid
and keratinization, 422
proof of, in callus and in normal horny layer, 319
- V**
- Valine, *in vivo* incorporation into lipids of dog skin, 356
- Viscous flow in compressed skin, 119
erratum, 552
- Vitamin A
effect on Shope papilloma, 126
mucous metaplastic cells induced in embryonic

chick epidermis by, resemblance to epidermal surface cells of human fetus, 179

W

Warts

 charming of, 15

 effect of papain on, 126

Water-barrier, epidermal, formation of, after stripping of skin, 6

Water

 distilled, as diluent of serum, compared with

 physiologic saline for antifungal activity, 368

 permeability constant for, 334

 vapor, loss of, method of determining, 6

Woman, terminal hair growth in, after locally administered testosterone, 419

Wound healing under perforated-film dressings, 299

X

X-rays, grenz and contact, effect on amino acid incorporation into protein, 529